



SAFETY DATA SHEET  
 WYOMING SODIUM BENTONITE  
 (NATURAL SODIUM BENTONITE)  
 Reproduced 20.11.12

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY	
Trade Name:	Wyoming Sodium Bentonite.
Usage:	Sealing of landfills, ponds and reservoirs; adhesives & tile cements; polishes, ceramics & cleaners.
Supplier:	Shop Holistic
Address:	Unit 27 Venture Wales Bedwas House Industrial Estate Caerphilly CF83 8GF
Phone Number:	02920 852222
eMail:	customerservices@shopholistic.co.uk

2. HAZARD IDENTIFICATION	
Bentonite is not flammable, combustible or explosive, and has no known adverse environmental effects. However it should be noted that this product may contain low levels of crystalline silica (CAS 14808-60-7) which is injurious to the lungs.	Potential Health Effects
Inhalation: Respirable crystalline silica can cause chronic silicosis, a fibrosis of the lungs.	
Eye Contact: May cause abrasion of the cornea.	
Skin Contact: May cause abrasion to skin.	
Ingestion: No known health effect.	

3. COMPOSITION/INFORMATION ON INGREDIENTS	
A natural hydrated aluminosilicate mineral with typical empirical formula: $(Al, Fe_{0.67} Mg_{0.33}) Si_4 O_{10} (OH)_2 Na, Ca_{0.33}$ Typical mineralogical composition: Bentonite (CAS No. 1302-78-9); up to 3% crystalline silica (CAS No. 14808-60-7).	
CAS No	1302-78-9

4. FIRST-AID MEASURES	
Eyes:	May cause irritation which can result in redness, itching and lachrymation. If contact with the eye occurs, wash with copious amounts of water for approximately 15 minutes. Seek medical attention if irritation persists.
Skin:	May cause irritation in contact with the skin. Wash thoroughly with water. Wash clothes before re-use.
Ingestion:	Material is biologically inert. It is however highly adsorbent and could have a dehydrating effect if ingested in large amounts. Wash out mouth with water, and then give plenty of water to drink. See medical attention if irritation or other symptoms develop.
Inhalation:	May cause irritation of mucous membranes and upper airways. Symptoms may include sneezing, coughing and breathing difficulties. Move victim to fresh air and have the victim blow nose to remove excess dust. Ensure airways are clear. If breathing is difficult, a qualified person should give oxygen via a face mask. If irritation develops and persists, seek medical attention. Silicosis may result from excessive inhalation over an extended period.

5. FIRE-FIGHTING MEASURES	
Extinguishing Media:	Use appropriate media to surrounding fire. Bentonite is compatible with all extinguishing media.
Special Exposure Hazards:	None known.
Protective Equipment for Fire Fighting:	Wear Self-Contained Breathing Apparatus (SCBA) and protective clothing. full
Hazardous Combustion Products:	None.

6. ACCIDENTIAL RELEASE MEASURES	
Personal Precautions:	Use personal protection appropriate to the situation and quantity handled. The use of a dust mask, nitrile gloves and either goggles or safety glasses is recommended. If large amounts of dust are likely to be generated, use a respirator. Product is slippery when wet.
Environmental Precautions:	Do not allow spill to enter drains and watercourses.
Spillages:	Scoop up spillages and place in a container. Avoid creating dusts. Wear appropriate respiratory protection, safety glasses and overalls as a precaution. Product is slippery when wet.

7. HANDLING AND STORAGE	
Handling:	Avoid skin and eye contact. Where dust is generated, the use of a mechanical exhaust ventilation system is recommended.
Storage:	Store in a cool, dry, well ventilated area in original packs/containers and away from oxidising materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
Occupational Exposure Limit (OEL):	Respirable silica 0.1 mg/m <sup>3</sup> TWA OEL. Total respirable dust 4 mg/m <sup>3</sup> TWA OEL. Total inhalable dust 10 mg/m <sup>3</sup> TWA OEL.
Respiratory Protection:	The use of a dust mask is recommended. If large amounts of dust are likely to be generated, use a respirator. Use in a well ventilated area.
Hand Protection:	Nitrile gloves should be worn.
Eye Protection:	Goggles or safety glasses should be worn.

9. PHYSICAL AND CHEMICAL PROPERTIES	
Physical State:	Free flowing powdered solid
Colour:	Grey
Odour:	Odourless
PH:	9-10
Solubility in Water:	Insoluble in water (but high swelling capacity)
Vapour Pressure:	Negligible
Bulk Density:	0.85 Kg/litre
Flammability:	Not flammable

10. STABILITY AND REACTIVITY	
Stability:	Stable at normal temperatures.

11. TOXICOLOGICAL INFORMATION		
Inhalation:	Silicosis of the lung may result from excessive inhalation over an extended period.	
Skin and Eye Contact:	Mild irritation can be caused to the skin or eyes.	
Ingestion:	No toxicology data available.	

12. ECOLOGICAL INFORMATION		
Non toxic to aquatic life; persistent in the environment; does not bioaccumulate; immobile.		

13. DISPOSAL CONSIDERATIONS		
Product Disposal:	Disposal should be via landfill in compliance with local regulations. Care should be taken to ensure that product is covered to stop any dust particles becoming airborne. It should be noted that contamination may occur during use and it is the responsibility of the user to assess an appropriate disposal method in this situation.	

14. TRANSPORT INFORMATION		
Sodium bentonite is not classified as a hazardous material for purposes of transportation.		

15. REGULATORY INFORMATION		
Risk & Safety:	Not classified as hazardous under the CHIP Regulations 2002 Not classified as hazardous according to EC/2001/58 & EEC/67/548	
Other Regulations:	Health & Safety At Work Act 1974; Control of Substances Hazardous to Health Regulations 2004 as amended; Environmental Protection Act 1990; EC Safety Data Sheet Directive EC/91/55.	

16. OTHER INFORMATION		
RS Minerals Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate handling of the product by a properly trained person. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.		
SHOP HOLISTIC MAKES NO GUARANTEES OR WARRANTIES, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE INFORMATION SET FORTH HEREIN. ACCORDINGLY, SHOP HOLISTIC WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.		