



Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Peppermint Oil Mentha Piperita (WHC111)

Company Name: Holistic Valley c/o Shop Holistic
Unit 27-28 Venture Wales
Bedwas House Industrial Estate
Caerphilly
CF83 8GF

Telephone Number: 02920 852222
Fax Number: 02921 860247

Email: lloyd@shopholistic.co.uk
Web: www.holisticvalley.co.uk

CAS Number: 8006-90-4
EC (EINECS) Number: 282-015-4

Chemical Name: DEFINITION/BOTANICAL ORIGIN: Mentha piperita Oil is the volatile oil obtained by steam distillation from the whole plant of the Peppermint, Mentha piperita L., Labiatae.

Synonyms, Trade names: INCI NAME: *Mentha piperita Oil*

2. HAZARDS IDENTIFICATION

CLASSIFICATION (1999/45) Xi;R38. R43. N;R51/53.

CLASSIFICATION (EC 1272/2008)

Physical and Chemical Hazards
Human Health
Environment

Not classified.

Skin Irrit. 2 – H315; Skin Sens. 1 – ~~H3~~
Aquatic Chronic 2 – H411

LABEL IN ACCORDANCE WITH (EC) NO. 1272/2008



SIGNAL WORD:
CONTAINS:

Warning
LIMONENE
PINENES

HAZARD STATEMENTS:

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:



P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

SUPPLEMENTARY PRECAUTIONARY STATEMENTS:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash...thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P302+352 **IF ON SKIN:** Wash with plenty of soap and water..
 P321 Specific treatment (see...on this label).
 P332+313 If skin irritation occurs: Get medical advice/attention.
 P333+313 If skin irritation or rash occurs: Get medical advice/attention.
 P362 Take off contaminated clothing and wash before reuse.
 P363 Wash contaminated clothing before reuse.
 P391 Collect spillage.
 P501 Dispose of contents/container to....

3. COMPOSITION/INFORMATION ON INGREDIENTS

CARYOPHYLLE	1-5%
CAS-No.: 87-44-5	EC No.: 201-746-1
CLASSIFICATION (EC 12708) Asp. Tox. 1 – H304	CLASSIFICATION (67/548/1) Xn;R65.

CINEOL	5-10%
CAS-No.: 470-67-7	EC No.: 207-428-9
CLASSIFICATION (EC 1272/2) Flam. Liq. 3 – H226	CLASSIFICATION (67/548/1) R10.

LIMONENE	1-5%
CAS-No.: 138-86-3	EC No.: 205-341-0
Classification (EC 1272/2008) Flam. Liq. 3 – H226 Skin Irrit. 2 – H315 Skin Sens. 1 – H317 Asp. Tox. 1 – H304 Aquatic Acute 1 – H400 Aquatic Chronic 1 – H410	Classification (67/548/EI) Xn;R65. Xi;R38. N;R50/53. R10,R43.

MENHOFURA	5-10%
CAS-No.: 494-90-6	EC No.: 207-795-5
Classification (EC 1272/2008) Acute Tox. 4 – H302 Skin Irrit. 2 – H315 Aquatic Chronic 2 – H411	Classification (67/548/EI) Xn;R22. Xi;R38. N;R51/53.



MENTHOL		30-60%
CAS-No.: 89-78-1	EC No.: 201-939-0	
Classification (EC 1272/2008) Skin Irrit. 2 – H315	Classification (67/548/EI) Xi;R38.	

MENTHON		10-30%
CAS-No.: 89-80-5	EC No.: 201-941-1	
Classification (EC 1272/2008) Aquatic Chronic 3 – H412	Classification (67/548/EI) R52/53.	

MENTHYL ACET		5-10%
CAS-No.: 89-48-5	EC No.: 201-911-8	
Classification (EC 1272/2008) Aquatic Chronic 2 – H411	Classification (67/548/EI) N;R51/53.	

PINENE		1-5%
CAS-No.:	EC No.:	
Classification (EC 1272/2008) Flam. Liq. 3 – H226 Skin Sens. 1 – H317 Asp. Tox. 1 – H304 Aquatic Acute 1 – H400 Aquatic Chronic 1 – H410	Classification (67/548/EI) Xn;R65. N;R50/53. R43,R10..	

PULEGONE		1-5%
CAS-No.: 89-82-7	EC No.: 201-943-2	
Classification (EC 1272/2008) Acute Tox. 4 – H302	Classification (67/548/C) Xn;R22.	

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

EC (EINECS) Number: 282-015-4
CAS-NO. 8006-90-4



4. FIRST-AID MEASURES

GENERAL INFORMATION:	Remove affected person from source of contamination. Perform artificial respiration if breathing has stopped.
NOTES TO THE PHYSICIAN:	No specific first aid measures noted.
INHALATION:	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.
INGESTION:	If necessary, rinse mouth and provide fresh air. Get medical attention if any discomfort continues.
SKIN CONTACT:	If necessary remove contaminated clothing and wash skin with soap and water. Get medical attention if any discomfort continues.
EYE CONTACT:	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

5. FIRE FIGHTING EXTINGUISHING MEASURES

EXTINGUISHING MEDIA:	Fire can be extinguished using : Foam, carbon dioxide or dry powder.
SPECIAL FIRE FIGHTING PROCEDURES:	Containers close to the fire should be removed or cooled with water.
UNUSUAL FIRE & EXPLOSION HAZARDS:	No unusual fire or explosion hazards noted
SPECIFIC HAZARDS:	When heated and in case of fire, toxic vapours/gasses may be formed.
PROTECTIVE MEASURES IN FIRE:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Use protective gloves, goggles and suitable protective clothing. In case of spills, beware of slippery floors and surfaces.
ENVIRONMENTAL PRECAUTIONS:	Do not discharge into drains, water courses or onto the ground.
SPILL CLEAN UP METHODS:	Absorb with inert, damp, non-combustible material, then flush area with water. Shovel into dry containers. Cover and move the containers. Flush the area with water.

7. HANDLING & STORAGE MEASURES

USAGE PRECAUTIONS:	Avoid spilling, skin and eye contact. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.
STORAGE PRECAUTIONS:	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.
STORAGE CLASS:	Unspecified storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



ENGINEERING MEASURES:

Provide adequate ventilation.



RESPIRATORY EQUIPMENT:	No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.
HAND PROTECTION:	Protective gloves should be used if there is a risk of direct contact or splash.
EYE PROTECTION:	If risk of splashing, wear safety goggles or face shield.
OTHER PROTECTION:	Wear appropriate clothing to prevent any possibility of skin contact.
HYGIENE MEASURES:	No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.
SKIN PROTECTION:	Wear apron or protective clothing in case of splashes.

9. PHYSICAL & CHEMICAL PROPERTIES

Please see separate specification sheet.

10. STABILITY AND REACTIVITY

STABILITY:	Stable under normal temperature conditions.
CONDITIONS TO AVOID:	Avoid heat, flames and other sources of ignition.
HAZARDOUS POLYMERISATION:	Will not polymerise.
MATERIALS TO AVOID:	Strong oxidizing substances . Strong acids. Strong Alkalis.
HAZARDOUS DECOMP. PRODUCTS:	In case of fire, toxic gasses (CO, CO ₂ , NO _x) may be formed.

11. TOXICOLOGICAL INFORMATION

See section-2

GENERAL INFORMATION:	No specific health warnings noted.
INHALATION:	In high concentrations, vapours may irritate throat and respiratory system and cause coughing.
INGESTION:	No specific health warnings noted. No harmful effects expected in amounts likely to be ingested by accident.
SKIN CONTACT:	No specific health warnings noted.
EYE CONTACT:	Spray and vapour in the eyes may cause irritation and smarting.
HEALTH WARNINGS:	No specific health warnings noted.
MEDICAL SYMPTOMS:	No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals
MEDICAL CONSIDERATIONS:	Persons with rash are directed to skin expert for examination of allergic eczema.


12. ECOLOGICAL INFORMATION

ECOTOXICITY:	Refer to section-2
--------------	--------------------

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION:	Waste suitable for incineration.
DISPOSAL METHODS:	Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION





PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (MENTHOFURAN)

UN NO. ROAD:	3082		
ADR CLASS NO:	9	ADR CLASS Class 9:	Miscellaneous dangerous substances and articles.
ADR PACK GROUP	III	TUNNEL RESTRICTION CODE (E)	
HAZARD No. (ADR)	90	ADR LABEL No.	9
HAZCHEM CODE	•3Z		
UN NO. SEA	3082	IMDG CLASS	9
IMDG PACK GR	III	EMS	F-A, S-F
UN NO. AIR	3082	AIR CLASS	9
AIR PACK GR.	III		

15. REGULATORY INFORMATION

EU DIRECTIVES:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS:

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I. 2009 No. 716).

APPROVED CODE OF PRACTICE:

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES:

Workplace Exposure Limits EH40

16. OTHER INFORMATION

GENERAL INFORMATION: Shelf life: 36 months when stored within advised conditions.

RISK PHRASES IN FULL:

R10 Flammable.
R22 Harmful if swallowed.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 Harmful: may cause lung damage if swallowed.
R38 Irritating to skin.
R43 May cause sensitisation by skin contact.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

HAZARD STATEMENTS IN FULL:

H315 Causes skin irritation.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H412 Harmful to aquatic life with long lasting effects.
H304 May be fatal if swallowed and enters airways.



- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.
- H410 Very toxic to aquatic life with long lasting effects.
- H400 Very toxic to aquatic life.

DISCLAIMER:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Date of First Issue: 28.05.2012
Re-Issued: 10.10.2013